



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/534,409	05/11/2005	Anne Elizabeth Dallison	2955-213	7115

6449 7590 12/28/2006
ROTHWELL, FIGG, ERNST & MANBECK, P.C.
1425 K STREET, N.W.
SUITE 800
WASHINGTON, DC 20005

EXAMINER

MAUST, TIMOTHY LEWIS

ART UNIT	PAPER NUMBER
----------	--------------

3751

SHORTENED STATUTORY PERIOD OF RESPONSE	NOTIFICATION DATE	DELIVERY MODE
3 MONTHS	12/28/2006	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

Notice of this Office communication was sent electronically on the above-indicated "Notification Date" and has a shortened statutory period for reply of 3 MONTHS from 12/28/2006.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

PTO-PAT-Email@rfem.com

Office Action Summary	Application No.		Applicant(s)	
	10/534,409		DALLISON ET AL.	
	Examiner		Art Unit	
	Timothy L. Maust		3751	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 11 May 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-12 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 1 is/are allowed.
- 6) ☒ Claim(s) 2-12 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11 May 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>5/11/05, 10/26/05, 11/27/06</u> | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Specification

The abstract of the disclosure is objected to because in lines 1 and 5, "The invention" should be deleted. Correction is required. See MPEP § 608.01(b).

The disclosure is objected to because of the following informalities: The British spelling of words such as "colour" and "minimising" should be corrected. Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 2-12 are rejected under 35 U.S.C. 102(b) as being anticipated by Brony ('434).

In regard to claims 2-8, the Brony reference discloses a "liquid dispensing apparatus" (see Figures 4-6) comprising a "bottle" V, a "bottle neck liner" 58 and a "flat-nosed syringe" 30 having a "plunger" and a "barrel" (inherent), the bottle having a bottle neck in which is located the bottle neck liner such that liquid cannot flow between the bottle neck liner and the bottle neck, the bottle neck liner comprising a "sleeve" 52 defining a "bore" 54 having an inward step located within the bottle neck, an "aperture" 56 being defined inwardly of the inward step, wherein the sleeve is dimensioned such

that when the syringe barrel is inserted into the sleeve, the bore sealingly accommodates the distal end region of the syringe barrel with the distal end region in abutment with the inward step, wherein no part of the distal end extends beyond the bore, and wherein liquid cannot flow between the sleeve and the barrel, but can leave the bottle only via the aperture and thence the syringe.

In regard to claim 9, see column 1, line 14.

In regard to claim 10, see "closure" 60 in Figure 5.

In regard to claim 11, the method would be inherent during normal use and operation of the device.

In regard to claim 12, the patentability of a product does not depend on its method of production. If the product in the product-by-process claim is the same as or obvious from a product in the prior art, the claim is unpatentable even though the prior product was made by a different process (see MPEP 2113).

Allowable Subject Matter

Claim 1 is allowed.


Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. The Paoletti, Brony, Evers, and Ikeda et al. pertain to various syringe and bottle transfer devices, similar to Applicant's device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Timothy L. Maust whose telephone number is (571) 272-4891. The examiner can normally be reached on Mon. - Thur. 6:30 - 5:00.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Timothy L. Maust
Primary Examiner
Art Unit 3751

Tlm
12/19/06